


SERIE SERIES 30



**SERRATURE POMPA CILINDRO Ø 34
DA APPLICARE
PUMP CYLINDER
RIM LOCKS Ø 34**



**MADE
IN
ITALY**

MADE
IN
ITALY



3 chiavi art. 92105
three keys, Art. 92105



Caratteristiche

- Laterali o triplici
- Entrata chiave mm. 42
- Pompa-cilindro esterna lunghezza mm. 50 per lunghezze diverse vedere pag. 198
- Dimensioni scatola mm. 80x152x30
- Corsa chiavistelli mm. 24
- Apertura interna con chiave o pomolo
- Tutti gli articoli sono forniti destri e sinistri (specificare)
- Finitura unica: Verniciata bronzo
- Dotazione di serie:
 - Laterali - art. 30406/407/416**
 - n. 3 chiavi art. 92105
 - n. 1 mostrina art. 95148/N
 - n. 1 ferrogliera art. 94293
 - viti e minuteria
 - Triplici - art. 30426/427/436/437**
 - n. 3 chiavi art. 92105
 - n. 1 mostrina art. 95148/N
 - n. 1 ferrogliera art. 94293
 - n. 2 passanti aste art. 99292
 - n. 1 cavallotto art. 99289
 - n. 1 bocchetta a pavimento art. 99151
 - viti e minuteria

ASTE NON COMPRESSE. Vedere abbinamenti a fine sezione e in capitolo aste 93

Avvertenza: l'applicazione in esterno richiede un trattamento "superficiale" in grado di offrire una maggiore resistenza agli agenti atmosferici. In questi casi, contattare l'azienda.

Characteristics

- Side or three-point lock
- Backset: 42 mm.
- External pump-cylinder: length 50 mm. For different lengths see page 198
- Box dimensions: 80x152x30 mm.
- Bolt travel 24
- Opens from inside with key or knob
- All articles are available in right or left version (please specify with order)
- Finish: Bronze only
- Supplied with:
 - Side locks - Art. 30406/407/416**
 - 3 keys, Art. 92105
 - 1 escutcheon, Art. 95148/N
 - 1 striker plate, Art. 94293
 - screws and small parts
 - Three-point locks - Art. 30426/427/436/437**
 - 3 keys, Art. 92105
 - 1 escutcheon, Art. 95148/N
 - 1 striker plate, Art. 94293
 - 2 bar collars, Art. 99292
 - 1 clasp, Art. 99289
 - 1 floor striker plate, Art. 99151
 - screws and small parts

BARS NOT INCLUDED.
See 93 series

Warning: external installation requires a "surface" treatment to aid in resisting atmospheric agents. Please, contact the Company for more information.

30.406



Finitura/Finish
Verniciata bronzo
Bronze



30.407



Finitura/Finish
Verniciata bronzo
Bronze



Laterale
Apertura interna con chiave
Pompa esterna

Side lock
Opens from inside with key
External pump

Laterale
Apertura interna con pomolo
Pompa esterna

Side lock
Opens from inside with knob
External pump

30.416



Finitura/Finish

Verniciata bronzo
Bronze



Laterale con mezzo giro
Apertura interna con chiave
Pompa esterna


*Side lock with latchbolt
Opens from inside with key
External pump*

30.426



Finitura/Finish

Verniciata bronzo
Bronze



Triplice
Apertura interna con chiave
Corsa aste mm. 16
Pompa esterna
Aste **NON** comprese

*Three-point lock
Opens from inside with key
Bar travel: 16 mm
External pump
Bars **NOT** included*

30.427



Finitura/Finish

Verniciata bronzo
Bronze



Triplice
Apertura interna con pomolo
Corsa aste mm. 16
Pompa esterna
Aste **NON** comprese


*Three-point lock
Opens from inside with knob
Bar travel: 16 mm.
External pump
Bars **NOT** included*

30.436



Finitura/Finish

Verniciata bronzo
Bronze



Triplice con mezzo giro
Apertura interna con chiave
Corsa aste mm. 16
Pompa esterna
Aste **NON** comprese

*Three-point lock with latchbolt
Opens from inside with key
Bar travel: 16 mm.
External pump
Bars **NOT** included*

30.437



Finitura/Finish

Verniciata bronzo
Bronze



Triplice con mezzo giro
Apertura interna con pomolo
Corsa aste mm. 16
Pompa esterna
Aste **NON** comprese

*Three-point lock with latchbolt
Opens from inside with knob
Bar travel: 16 mm.
External pump
Bars **NOT** included*

ASTE / BARS

Per altre ASTE, vedere capitolo 93
For other bars, see chapter 93

93.291

Finitura/Finish


Verniciate bronzo
Bronze



Aste \square mm. 10x20
con terminale Ø 18
per serrature art. 20.527, 30.426
registrabili da cm. 70 a cm. 131

*10x20 mm. bars
with Ø18 ferrule
for locks Art. 20.527, 30.426
adjustable from 70 cm. to 131 cm.*

MADE
IN
ITALY



3 chiavi art. 92105
three keys, Art. 92105



Caratteristiche

- Laterali, triplici o quintuplici
- Entrata chiave mm. 63
- Pompa-cilindro esterna lunghezza mm. 50 per lunghezze diverse vedere pag. 198
- Apertura interna con chiave o pomolo
- Pompa-cilindro singola o doppia
- Tutti gli articoli sono forniti destri e sinistri (specificare)
- Finiture: Verniciata, Cromata
- Dotazione di serie:
- Laterali - art. 30401/411**
- n. 3 chiavi art. 92105 • n. 1 mostrina art. 95148/N
- n. 1 ferrogliera art. 94128 • viti e minuteria
- Laterali - art. 30600/601/602/610/611/612**
- n. 3 chiavi art. 92105 • n. 1 mostrina art. 95148/N
- n. 1 ferrogliera art. 94122 • viti e minuteria
- Triplici - art. 30620/621/622/630/631/632**
- n. 3 chiavi art. 92105 • n. 1 mostrina art. 95148/N
- n. 1 ferrogliera art. 94122 • n. 2 passanti aste art. 99152 • n. 1 cavallotto art. 99153
- n. 1 bocchetta a pavimento art. 99151
- viti e minuteria
- Quintuplici - art. 30640/641/642/650/651/652**
- n. 3 chiavi art. 92105 • n. 1 mostrina art. 95148/N
- n. 1 ferrogliera art. 94122 • n. 2 passanti aste art. 99152 • n. 1 cavallotto art. 99153
- n. 1 bocchetta a pavimento art. 99151
- viti e minuteria

ASTE E DEVIATORE NON COMPRESI:
Vedere abbinamenti a fine sezione
e in cap. Aste **93**, Deviatori **96**

Characteristics

- Side, three-point or five-point locks
- Backset: 63 mm.
- External pump-cylinder: length 50 mm. For different lengths see page 198
- Opens from inside with key or knob
- Single or double pump-cylinder
- All articles are available in right or left version (please specify with order)
- Finishes: Brown enamelled, Chrome-plated
- Supplied with:
- Side - Art. 30401/411**
- 3 keys, Art. 92105 • 1 escutcheon, Art. 95148/N
- 1 striker plate, Art. 94128 • screws and small parts
- Side - Art. 30600/601/602/610/611/612**
- 3 keys, Art. 92105 • 1 escutcheon, Art. 95148/N
- 1 striker plate, Art. 94122 • screws and small parts
- Three-point Art. 30620/621/622/630/631/632**
- 3 keys, Art. 92105 • 1 escutcheon, Art. 95148/N
- 1 striker plate, Art. 94122 • 2 bar collars, Art. 99152 • 1 clasp, Art. 99153
- 1 floor striker plate, Art. 99151
- screws and small parts
- Five-point - Art. 30640/641/642/650/651/652**
- 3 keys, Art. 92105 • 1 escutcheon, Art. 95148/N
- 1 striker plate, Art. 94122 • 2 bar collars, Art. 99152 • 1 clasp, Art. 99153
- 1 floor striker plate, Art. 99151
- screws and parts


BARS AND SWITCHLOCK NOT INCLUDED:
See **93** series (bars)
and **96** series (switchlock)

30.401



Finitura/Finish

Verniciata
Brown enamelled



30.411



Finitura/Finish

Verniciata
Brown enamelled



Laterale
Dimensioni scatola mm. 127x108x32
Corsa chiavistelli mm. 36
Apertura interna con pomolo
Pompa esterna

Side lock
Box dimensions: 127x108x32 mm.
Bolt travel: 36 mm.
Opens from inside with knob
External pump

Laterale con mezzo giro
Dimensioni scatola mm. 127x108x32
Corsa chiavistelli mm. 36
Apertura interna con pomolo
Pompa esterna


Side lock with latchbolt
Box dimensions: 127x108x32 mm.
Bolt travel: 36 mm.
Opens from inside with knob
External pump

30.600



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



30.601



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Laterale
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con chiave
Pompa esterna

Side lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with key
External pump

Laterale
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con pomolo
Pompa esterna

Side lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with knob
External pump

30.602



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



30.610



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Laterale
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con chiave cifrata
Doppia pompa esterna/interna

Side lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with coded key
External/internal double pump

Laterale con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con chiave
Pompa esterna

Side lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with key
External pump

30.611



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



30.612



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Laterale con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con pomolo
Pompa esterna

*Side lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with knob
External pump*

Laterale con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Apertura interna con chiave cifrata
Doppia pompa esterna/interna


*Side lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Opens from inside with coded key
External/internal double pump*

30.620



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------




30.621



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Triplice
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave
Pompa esterna
Aste **NON** comprese

*Three-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with key
External pump
Bars **NOT** included*

Triplice
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con pomolo
Pompa esterna
Aste **NON** comprese

*Three-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with knob
External pump
Bars **NOT** included*

30.622



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------




30.630



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Triplice. Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave cifrata
Doppia pompa esterna/interna
Aste **NON** comprese

Three-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with coded key
External/internal double pump
Bars **NOT** included

Triplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave
Pompa esterna
Aste **NON** comprese

Three-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with key
External pump
Bars **NOT** included

30.631



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



30.632



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Triplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con pomolo
Pompa esterna
Aste **NON** comprese

Three-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with knob
External pump
Bars **NOT** included

Triplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave cifrata
Doppia pompa esterna/interna
Aste **NON** comprese


Three-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with coded key
External/internal double pump
Bars **NOT** included

30.640



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------




30.641



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Quintuplice
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave
Pompa esterna
Aste e deviatore **NON** compresi

Five-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with key
External pump
*Bars and switchlock **NOT** included*

Quintuplice
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con pomolo
Pompa esterna
Aste e deviatore **NON** compresi

Five-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with knob
External pump
*Bars and switchlock **NOT** included*

30.642



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------




30.650



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Quintuplice
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave cifrata
Doppia pompa esterna/interna
Aste e deviatore **NON** compresi

Five-point lock
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with coded key
External/internal double pump
*Bars and switchlock **NOT** included*

Quintuplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave
Pompa esterna
Aste e deviatore **NON** compresi

Five-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with key
External pump
*Bars and switchlock **NOT** included*

30.651



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



30.652



Finitura/Finish

Verniciata Brown enamelled	Cromata Chrome plated
-------------------------------	--------------------------



Quintuplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con pomolo
Pompa esterna
Aste e deviatore **NON** compresi

*Five-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with knob
External pump
Bars and switchlock **NOT** included*

Quintuplice con mezzo giro
Dimensioni scatola mm. 132x146x30
Corsa chiavistelli mm. 40
Corsa aste mm. 17
Apertura interna con chiave cifrata
Doppia pompa esterna/interna
Aste e deviatore **NON** compresi

*Five-point lock with latchbolt
Box dimensions: 132x146x30 mm.
Bolt travel: 40 mm.
Bar travel: 17 mm.
Opens from inside with coded key
External/internal double pump
Bars and switchlock **NOT** included*

ASTE E DEVIATORE / BARS AND SWITCHLOCK

Per altre ASTE, vedere capitolo 93 / For other bars, see chapter 93

93.140

Finitura/Finish

Verniciate Brown enamelled	Cromate Chrome plated
-------------------------------	--------------------------




Coppia aste Ø mm. 18
registrabili da cm. 152
a cm. 270 totale
n. 1 da 76 a 131; n. 1 da 76 a 139

Set of 2 Ø 18 mm. bars
adjustable from 152 cm.
to max. 270 cm.
(1 from 76 to 131 - 1 from 76 to 139)

93.141

Finitura/Finish

Verniciate Brown enamelled	Cromate Chrome plated
-------------------------------	--------------------------



Confezione di n. 5 aste Ø mm. 18
registrabili: n. 2 da cm. 76 a cm. 131;
n. 2 da cm. 76 a cm. 139;
n. 1 da cm. 49,5 a cm. 80

Set of 5 adjustable Ø 18 mm. bars
2 adjustable from 76 cm. to 131 cm.
2 adjustable from 76 cm. to 139 cm.
1 adjustable from 49.5 cm. to 80 cm.

96.143

Finitura/Finish

Verniciato Brown enamelled	Cromato Chrome plated
-------------------------------	--------------------------



Deviatore per serrature quintuplici
da applicare serie 30

Switchlock for 5-point
rim locks series 30



Nolimal d.o.o.
Cesta pod goro 42, 1353 Borovnica, Slovenija
tel.: 01/754 83 60, fax: 01/754 83 61,
www.nolimal.si; info@nolimal.si